App F IX 4

Previous References

1953-54 (CM)

File No 52-53-

Serial Nos 10 11, 14

Later References

P 19(E)

GENERAL AND REVENUE SECRETARIAT

Serial Nos 3

Part B for August 1953

SUBJECT

Banks Thermoshe Flasks

WD 01425—GPB—25 000—1-9 1952

9171/ml

Barle' Thermoplastic Hose

From

The Controller B'lore Corpn

No A 4 P R 207/52 53 of 3 3 53

Regret the retardness of the License
of the License issued by the Corporation
from the Chief Controller of exports
for importing the above

2. The procedure to be followed
for such renewal is not known Better
on this behalf is perhaps to be taken
as the 2nd Branch

2) Details of the purpose used rest
of Barle' Thermoplastic Hose, the
cost etc are however not furnished
by the Corporation

3) This office has not been
consulted when placing the order it
is not clear why a reference shall
have been made now for renewal
of the License if the License had
been obtained directly by the Corporation
this could as well have themselves
arranged for the renewal of the
export License also

4) Subs for orders
Rec 8/3/53 sm 9/3

5) Write a DO to the Comm
to ascertain details on the point

C/- 9171/N 5381/N

Bank Nationalise move

on the point noted at Para 2

6) Draft Letter to the Canara Corpn

cc map for approval

cc 12/3/53

or 13/3/53

7) Issue

Sykes Comm Corpn Bldg

(Chairman)

L 21996 dated 23 3 53

Requests to intimate the purpose and need of Bank Nationalise Move as soon as possible

Sd/-

6/4

or 10/4

Issue

The Canara Bldg Corpn

No A 4-PR 207/52-53 Dt 16-4-53

Furnishes the information called for

8) The Chairman's Letter cc for perusal

This is an acknowledgement for procedure to be followed

enclosed at Sri Bharava Prakasha Basappa

Maharaj Nagar costing about Rs 850/

an Indian Currency equivalent of pound sterling

which is to be paid for by Sri N

Basappa himself

9) For orders of the C O I as to

3

Barts Thermostatic Nurse

External Affairs Secretary may be addressed for Renewal of the permit as Requested by the Coroner - Reference para 5 above

10)

11) Write to the Chief Controller of Imports, Ministry of Industry and Commerce, Gov't, and request him to renew the permit at once

12) There should have been no queries and no delays in such a case as this

13) There is no need to write to the EA Ministry about this

and

that a purchase of an article costing less than £50

TAPY TO CC
15 7 L
MAY 1

Read 5/5/53

5/5/53

14) Ask Coroner to see Chief Controller & Comforts new Boiler & put up for approval for perusal before issue

5/5/53

OFFICE OF THE MINISTRY OF PUBLIC HEALTH & LOCAL SELF GOVERNMENT
8 MAY 1953
No 785

11/5/53

Barths' lp √1580 √2134 Imds Thermoplastic Nurse

Issues
8/11/53

To
The Chief Controller of Imports.
Receipt of Issue of Supplies
G o I - New Delhi
Ref Lr 2177/CN of 53-II of 15.5.53
Request to Renew the permit

Ltr A-16/5/53

From
The Secretary, C.C.B
No. A&P R.89/53-54 Dt 27.5.53
Requests us to get the license
renewed to the end of December'53
—.

Dft letter to the Chief Controller of Imports, G o I., New Delhi is put up for approval or other orders

for appl
[illegible]
-8/7

Lr 30/7/53
8/11/53

(Secy Dept)

SECRETARY TO GOVERNMENT
2852
8 NOV 1953
DEPTT

Issue at once
No Delay please as
Lr has been done last time and
even this time
Dft 2nd [illegible]

9134/ml √2985/20
Barts Thermoplastic Nurse
5"

To
The Chief Controller of Imports,
New Delhi

No L 4303/C of 52 53 - IV of 13 7 53.
Request for Renewal of the Licence
up to the end of December '53

Sec A 22/7/53

From
The Chief Controller of Imports
No. A C-(93-1) 6292 - 11-53/13C)
of 30 7 53.
Regarding the Licence up to end of
December 1953

3-7/8/53.

7/8

CM 52-53-10

CORPORATION OF THE CITY OF BANGALORE

No A4PR 207/52-53
encl4

CORPORATION OFFICES,
BANGALORE

Dated 25th February 1953
3rd March

FROM

K HENJERAPPA, ESQ, B A, B L
COMMISSIONER
CORPORATION OF THE CITY OF BANGALORE,
BANGALORE

To

The Secretary to the Government of Mysore,
Local Self Government Department,
Bangalore



SIR,

Subject BARTS' THERMOSTATIC NURSE

In enclosing herewith an import permit for the purchase of the above apparatus, which was obtained from the Government of India, I write to state that the currency of this permit expired before the article could be shipped by the firm, as per their enclosed letter I request you kindly to obtain the permit renewed for taking necessary further action

In this connection a copy of memorandum No F G II/52/1986 dated 29th December 1952 received from the Under Secretary to the Government of India, Ministry of External Affairs, regarding ~~growing~~ giving information of this type of transaction to the Indian missions concerned ~~abround~~ abroad is herein enclosed for favour of necessary action in the matter

Forwarded with compliments

(P Hanumanthaiah,)
MAYOR

Yours faithfully,

(K Henjerappa,)
COMMISSIONER

TNL/-

Copy of Memorandum No F GII/52/1986 dated 29th December 1952, from the Under Secretary to the Government of India, Ministry of Exterral Affairs, New Delhi, addressed to All State Governments, etc

---

Sub Matters affecting the foreign relations of the Government of India - Channels of communication placing of Government contracts in foreign countries

---

It has been reported by various Indian Missions abroad that they are not being kept informed by the authorities concerned in India, about important orders of contracts that those authorities are placing or negotiating direct with foreign firms or industries This places the Missions in an embarrassing position as they have to plead ignorance when persons in foreign countries approach them for information on such matters while direct negotiations by the Ministries of the Government of India may be necessary in many cases, it is essential that the Indian representatives in the foreign countries concerned should be kept informed of all such negotiations × are conducted with foreign firms etc , steps may be taken to ensure that the Indian Missions concerned are kept fully informed

---

"Copy"

N Sanders
For Commissioner

TNL/-
25/2/53

× from the beginning of it is suggested that in all cases where negotiations

receipt of your advice,

Your faithfull ,
for CHARLES FAPCO & CO LTD

Director

3

HEARSONCO SEDIST LONDON
Telephone
BERMONDSEY 1331/32 2456

tors to
ADMIRALTY MINISTRY OF SUPPLY WAR
OFFICE AIR MINISTRY INDIA OFFICE
CROWN AGENTS L C C E E E

CHARLES HEARSON & CO LTD

COMPLETE LABORATORY FURNISHERS

MAKERS OF SCIENTIFIC INSTRUMENTS BACTERIOLOGICAL AND INDUSTRIAL LABORATORY APPARATUS

Head Office and Works
68 WILLOW WALK
BERMONDSEY
LONDON S E 1

AIR MAIL

YOUR REF H6 B B 120/52-53
OUR REF —/MEH/2 [illegible]/17

6th February, 19 53

The Health Officer,
Corporation of the City of Bangalore,
Bangalore

Dear Sir,

Bart's Thermostatic Furnace.

H6 Gml 06/2/53

We have taken to acknowledge receipt of our letter dated the 27 January under the above reference, with which you forwarded a copy of our letter dated 16th October last. We note therefrom that our wish is to supply a Bart's Thermostatic Furnace, and in connection therewith enclosed a copy of the License permit which you have obtained.

Upon referring to this, however, we find that the licensing period is from July to December, 1952, which has obviously passed. May we enquire, therefore, if it is possible for you to obtain an extension of this license for we cannot possibly ship this article for at least three months from this date.

In the meantime our order is held in abeyance pending receipt of your advice,

Your faithfully,
for CHARLES HEARSON & CO LTD

Director

Licence Rec'd 18/3

21/3/53

18/3

No 4 21996 Dt 23/3/53

2 Copies

To
The Commissioner
Corporation of the City of
(City name) P.O.
(Through the Mayor)

Subject Basic Thereof
Nurse

Sir

With Reference to your
Letter No. A 4 P R 207/52-53
dated 3 3 53 on the above
Subject, I am directed to
Request you to ascertain the
purpose and of Basic Training
Basic Nurse, the Cost, and
other particulars

Yours faithfully
Sd/-
for Secy
12/3/53

No (212)
Ends Trans To 15-5-53 CM 52-53-11

The Chief Controller of Imports
Ministry of Industries & Supplies,
Government of India,
NEW DELHI

MYSORE GOVERNMENT SECRETARIAT
XXXXXXXXXXXXXXXXXXXX

1996 23/3/53

Dear Sir,

Subject Barts' thermostatic Nurse

With reference to your letter No A4 P R 207/52-53 dated 3rd March 1953, on the above subject, I am desired to request you to intimate the purpose and need of Barts thermostatic Nurse, its cost etc , very early

Yours sincerely,

1813

Sri K Hanjerappa, B A , B L ,
Commissioner,
Corporation of the City of Bangalore,
BANGALORE

krr-2/18/3

No L 2127 Encls None To 15-5-53 7 CM 52-53-11

The Chief Controller of Imports,
Ministry of Industries & Supplies

6

535
GENERAL SECRETARIAT
20 APR 1953

CORPORATION OF THE CITY OF BANGALORE

SECRETARY TO GOVT
17 APR
D PAP

No A4-Pr 207/52-53 CORPORATION OFFICES,
BANGALORE

Dated 16th April 1953

FROM
THE COMMISSIONER,
CORPORATION OF BANGALORE
BANGALORE

To

The Secretary to the Government of Mysore
Local Self Government Department,
Bangalore

HAS

SIR

SUBJECT - BART'S THERMOSTATIC NURSE

With reference to the correspondence ending with your letter No L 21996 dated 23rd March 1953, on the above subject I write to state that the Bart's Thermostatic Nurse is an incubator for premature infants to be installed at Sri Dharma Prakasha Dasappa Maternity Home The cost would be £ 48-10-0 plus export case packing etc , £.6-0-0 This would be met by Sri Dharmaprakasha N Dasappa, who is presenting the above to this Maternity Home

Yours faithfully,

Henjerappa 15/4
(K Henjerappa)
Commissioner
15/4

No 2123
Cereals - Thrs 15-5-53 7 CM 52-53-11

To

The Chief Controller of Imports,
Ministry of Industries & Supplies,
Government of India,
NEW DELHI

Sir,

Subject Barts' Thermostatic Nurse

I am directed to state that an import license for the import of Barts' Thermostatic Nurse from United Kingdom for installation in one of the Maternity Homes of the Bangalore Corporation was issued in favour of the Commissioner, Corporation of the City of Bangalore vide No O 010723/52/CC 1 dated 29th September 1952 valid for July- December 1952 The license expired before the article could be shipped by ~~the firm~~ Messrs Charles Pearson & Co , Ltd , with whom the order was placed A copy of letter dated 6th February 1953 received from them on the subject is enclosed

I am to request you therefore to kindly arrange for the renewal of the license which is sent herewith to enable further action being taken by the Corporation to import the article

The cost of instrument is quoted at £ 48-10-0
Plus export case packing etc , £ 6-0-0

Yours faithfully,

8/5/53

for Secretary to Government,
L S G & Planning Departments

Memo 2138
15-5-53

5/5/53

Copy of the above is forwarded to the Commissioner, Corporation of the City of Bangalore, for information with reference to his letter No A4 P R 207/52-53 dated 16th April 1953

For Secretary to Government,
L S G & Planning Departments

5/5/53

knr/draft/5/5

C F 74] 9171 [535 Routine Notes 8

[To be used only for notes, requisitions, etc, not intended for permanent record]

WD 01403—GPB—35 000 copies—18-10-52

JUN 19.. 1580 MUNICIPAL BRANCH

No AC(93-B6277/1-52 /1027

OFFICE OF THE CHIEF CONTROLLER OF IMPORTS

New Delhi, the 3 — 6 — 1953

From THE CHIEF CONTROLLER OF IMPORTS

To ~~M/s~~ The Secretary to the Govt of Mysore, L S C. & planning Depts, Mysore Bangalore Govt Secretariat

Subs- Renewal of Imp Lic No C/0323/52/[illegible]

~~Sir~~ ~~Gentlemen~~,

With reference to your letter/~~application~~ No 2177/Ct/52-53-II dated the 15 — 5 — 53 on the above subject, I return herewith the above mentioned licence duly revalidated as desired

Copy forwarded to the Comr Blow Corporation Mrs The Hague for info & necessary action as enclosed licence duly revalidated

Encls- 1 Lic No Empl "M K" 15/4

Foreign LCS 4/6/53

Yours faithfully,

for CHIEF CONTROLLER OF IMPORTS

By (both Secs file one — Subject)

5/6/53

N B—Should routine notes be written on small slips the notes must be copied or slips pasted on this form

No AC(93-I)6292/1-52/1027
OFFICE OF THE CHIEF CONTROLLER OF IMPORTS

New Delhi, the 3-6-1953

From

The Chief Controller of Imports

To

The Secretary to the Govt of Mysore,
L S G & Planning Depts, Mysore, Govt Secretariat,
Bangalore

Sub - Revalidation of L No O 010323/52-C C I

Sir,

With reference to your letter No 21,//CT/52-53-11 dated the 15-5-53 on the above subject, I return herewith the above mentioned licence duly revalidated as desired

Yours faithfully,

Sd
for CHIEF CONTROLLER OF IMPORTS

No L 2983
E-2

MYSORE GOVERNMENT SECRETARIAT,
BANGALORE, THE 4th JUNE 1953

Memo

Copy of the above is forwarded to the Commissioner, Corporation of the City of Bangalore, (through the Mayor) for information and necessary action The licence duly revalidated is enclosed

(V Haru thappa)
Asst Secretary to Government,
L S G & Planning Departments

LNS 2 4/6

G R S App F G 3

GENERAL AND REVENUE

SECRETARIAT

1580 6/6/6



CORPORATION OF THE CITY OF BANGALORE

No A4 Pr 39/53-54
One license in duplicate

CORPORATION OFFICES,
BANGALORE

Dated 27th June 1953



FROM

THE COMMISSIONER,
CORPORATION OF BANGALORE
BANGALORE

To

L-MAS

The Secretary to the Government of Mysore,
L S G and Planning Departments,
Bangalore

SIR

Subject Re-validation of L No O O 10323/52 - C C I

With reference to the correspondence ending with your letter No L 2987/E-2 dated 4th June 1953, I write to state that the above license is revalidated upto 29th June 1953 only Since the firm has taken up the work recently, it may take some months to get it imported

I therefore request you kindly to get this permit renewed upto end of December 1953 The license in duplicate is enclosed

Yours faithfully,

(K Henjerappa,)
COMMISSIONER

TNL/-
25/6/53

25/6

G R S App F G 3

GENERAL AND REVENUE SECRETARIAT

(~~Continuation sheet draft~~ form)

No. L 4303 / e m 52-53-14

B-J-53

To

The Chief Secretary
of Reports

Necessity of Industries
and Supplies
New Delhi

Subject: Basic Thermo-
Electric Nurse

Sir,

With Reference to
your Letter no RC 93-0
6292/1-52/1027 dated
3-6-53 Regarding
L no 0 010323/52/EE1
for the report of the above
Assessment from U K
Late appointed 29 6 53
were declared to State
Assist. Ist from which
the order is passed has

Causes up the work recently
It may therefore take more
time to have the Chimney
repaired

I beg to request you
therefore to be so good
as to get the Licence
renewed up to the end
of December 1953

The Licence are duplicate
of hereunto sent enclosed

Yours faithfully

10/

8/11/53 3876/13

15

J4303/CH52-53 14

Mysore Government
xxxxxxxxxxxxxxx
13-7-53

The
L S G & Planning Departments

To

The Chief Controller of Imports,
Ministry of Industries and Supplies,
NEW DELHI

Sir,

Subject Barts' Thermostatic Nurse
- - - -

With reference to your letter No Ac 93-D 6292/1-52/1027 dated 3rd June 1953 revalidating License No O 010323/52/CCI for the import of the above instrument from United Kingdom upto 29th June 1953, I am directed to state that the firm with whom the order is placed has taken up the work recently It may therefore take more time to have the thing imported

I am to request you therefore to be so good as to get the license renewed upto the end of December 1953

The license in duplicate is herewith sent enclosed

Yours faithfully,
(V Hanumanthappa)
FOR Secretary to Government,
L S G & Planning Departments.

knr-2/10-7

By D no 2965/4 8 53

5428
E-1 5-8-53

No AC(93-I)6292- 11-57/1367
OFFICE OF THE CHIEF CONTROLLER OF IMPORTS

New Delhi, the 30-7-1953

From

THE CHIEF CONTROLLER OF IMPORTS

To

The Secretary to the Govt of Mysore,
L S G & Planning Departments,
Mysore Govt Secretariat, Bangalore

Sub - Revalidation of L No O 010323/52/

Sir,

With reference to your letter No L 403/CM 52-53-14 dated the 13-7-53, on the above subject, I return herewith the above mentioned licence duly revalidated as desired

Yours faithfully,

Sd
for CHIEF CONTROLLER OF IMPORTS

Memo No L

Forwarded to the Commissioner, Corporation of Bangalore, thro' the Mayor, for necessary action The licens is enclosed

Hanumanthappa 4/8/53
Sd V Hanumanthappa,
for Secretary to Government,
L S G & Planning Departments

O/c

LNS 4/8